

Message

---

**From:** Harris, Kimberly [harris.kimberly@epa.gov]  
**Sent:** 2/22/2018 6:44:06 PM  
**To:** Poy, Thomas [poy.thomas@epa.gov]; Bair, Rita [bair.rita@epa.gov]; Murphy, Elizabeth [Murphy.Elizabeth@epa.gov]  
**CC:** Shoven, Heather [shoven.heather@epa.gov]; Wilson, Jennifer [wilson.jenniferA@epa.gov]; Clark, Jacqueline [clark.jacqueline@epa.gov]; Holst, Linda [holst.linda@epa.gov]; Korleski, Christopher [korleski.christopher@epa.gov]  
**Subject:** Update on GenX sampling by Chemours  
**Attachments:** DuPont\_Chemours Washington Works Facility PFAS Contamination Current Status 1\_19\_18.docx

**GEN X SAMPLING UPDATE:**

On today's Chemours/Enforcement call, Region 3 shared that Chemours is following through on our request to sample for Gen X at 4 PWSs (2 in OH and 2 in WV) and 10 private wells near the Washington Works facility.

All 4 PWSs have been sampled as well as 8 out of the 10 private wells. The remaining 2 households will be tested next week and preliminary results are expected late next week or the 2<sup>nd</sup> week of March. Chemours has agreed to share the preliminary results with EPA when received. For your convenience, the most recent Chemours briefing is attached.

Thanks,  
Kim



**Kimberly M. Harris**

U.S. EPA-Region 5  
PFAS Regional Team Leader

(312) 886-4239 Work  
harris.kimberly@epa.gov

Water Division/GWDWB  
77 W. Jackson Boulevard  
Chicago, Illinois 60604-3590